

Expanding Pilots


For all popular machines

- Precision ground, hardened steel pilots
- Replaceable, expanding collets
- Each pilot has a .020" (51mm) range
- Kwik-Way style pilots (pictured) have a groove for bearing-style stone holders; others are grooveless

Size	mm	Range	.297" / Std.	.375" / Std.	.375" / Long	.385" / Std.	.437" / Std.	Collets	Expanders
.216"	5.5	.213"-.233"	P-1216NX	—	—	—	—	P-216-COLLET	P-216-EXP
.236"	6.0	.233"-.253"	P-1236NX	P-6MMNX	—	P-6MMSX	P-6MMKX	P-6MM-COLLET	P-6MM-EXP
.250"	6.3	.247"-.267"	P-1250NX	—	—	P-250SX	—	P-250-COLLET	P-250-EXP
.256"	6.5	.253"-.273"	—	P-6.5MMNX	—	P-6.5MMSX	—	P-65MM-COLLET	P-6.5MM-EXP
.275"	7.0	.272"-.292"	—	P-7MMNX	—	P-7MMSX	P-7MMKX	P-7MM-COLLET	P-7MM-EXP
.281"	7.1	.278"-.298"	P-1281NX	—	—	P-281SX	—	P-281-COLLET	P-281-EXP
.295"	7.5	.290"-.310"	—	—	—	P-7.5MMSX	—	P-281-COLLET	P-281-EXP
.312"	7.9	.309"-.329"	P-1312NX	P-312NX	P-312NXL	P-312SX	P-312KX	P-312-COLLET	P-312-EXP
.315"	8.0	.312"-.332"	P-1315NX	—	—	—	—	P-312-COLLET	P-312-EXP
.335"	8.5	.330"-.350"	—	—	—	P-8.5MMSX	—	P-343-COLLET	P-343-EXP
.343"	8.7	.340"-.360"	—	P-343NX	P-343NXL	P-343SX	P-343KX	P-343-COLLET	P-343-EXP
.354"	9.0	.350"-.370"	—	—	—	P-9MMSX	—	P-375-COLLET	P-375-EXP
.375"	9.5	.372"-.392"	—	P-375NX	P-375NXL	P-375SX	P-375KX	P-375-COLLET	P-375-EXP
.393"	10.0	.390"-.410"	—	P-10MMNX	—	P-10MMSX	—	P-10MM-COLLET	P-10MM-EXP
.406"	10.3	.403"-.413"	—	—	P-406NXL	P-406SX	—	P-10MM-COLLET	P-10MM-EXP
.437"	11.0	.430"-.450"	—	P-11MMNX	—	P-11MMSX	P-11MMKX	P-11MM-COLLET	P-11MM-EXP
.453"	11.5	.450"-.470"	—	—	—	P-453SX	—	P-11MM-COLLET	P-11MM-EXP
.472"	12.0	.469"-.489"	—	—	—	P-12MMSX	—	P-12MM-COLLET	P-12MM-EXP
.500"	12.7	.497"-.517"	—	—	P-500NXL	P-500SX	—	P-12MM-COLLET	P-12MM-EXP
Jobber (each)			\$42.99	\$46.29	\$47.29	\$59.99	\$57.29	\$16.99	\$7.99

To order Collets for LONG Pilots add an "L" to the size. ie: P-312L-COLLET

Special Order Don't see what you need, call us to order a special size pilot



Extended Length .375" Top Solid-Tapered Pilots

- Groove in top • Use where seat to guide dimensions are increased

Inch	mm	Order No.	Inch	mm	Order No.
.217"	5.50	P-5217NL	.312"	7.94	P-5312NL
.218"	5.52	P-5218NL	.313"	7.95	P-5313NL
.236"	6.00	P-5236NL	.314"	7.98	P-5314NL
.237"	6.02	P-5237NL	.315"	8.00	P-5315NL
.260"	6.60	P-5260NL	.316"	8.03	P-5316NL
.261"	6.63	P-5261NL	.341"	8.66	P-5341NL
.275"	6.98	P-5275NL	.342"	8.69	P-5342NL
.276"	7.00	P-5276NL	.343"	8.71	P-5343NL
.310"	7.87	P-5310NL	.344"	8.74	P-5344NL
.311"	7.90	P-5311NL	.345"	8.77	P-5345NL
Jobber \$49.99			.373"	9.47	P-5373NL
			.374"	9.50	P-5374NL
			.375"	9.53	P-5375NL
			.376"	9.55	P-5376NL
Jobber \$49.99					

.375" Top Serdi Style Straight Carbide Pilots

mm	in	Jobber	Order No.
3.99	.1571"	\$129.99	PCS-399
4.00	.1575"	129.99	PCS-400
4.01	.1579"	129.99	PCS-401
4.49	.1767"	129.99	PCS-449
4.50	.1771"	129.99	PCS-450
4.99	.1929"	129.99	PCS-499
5.00	.1964"	129.99	PCS-500
5.48	.2157"	129.99	PCS-548
5.50	.2165"	129.99	PCS-550
5.99	.2358"	129.99	PCS-599
6.00	.2362"	129.99	PCS-600
6.01	.2368"	129.99	PCS-601
6.59	.2594"	129.99	PCS-659
6.61	.2600"	129.99	PCS-661
6.99	.2752"	129.99	PCS-699
7.00	.2756"	129.99	PCS-700
7.01	.2760"	129.99	PCS-701
7.03	.2768"	129.99	PCS-703
7.92	.3118"	129.99	PCS-792
7.93	.3122"	129.99	PCS-793
7.95	.3130"	129.99	PCS-795
7.99	.3146"	129.99	PCS-799
8.00	.3150"	129.99	PCS-800
8.01	.3154"	129.99	PCS-801
8.02	.3157"	129.99	PCS-802
8.70	.3425"	129.99	PCS-870
8.72	.3433"	129.99	PCS-872
8.73	.3437"	129.99	PCS-873
8.74	.3440"	129.99	PCS-874
9.45	.3720"	129.99	PCS-945
9.46	.3724"	129.99	PCS-946
9.47	.3728"	129.99	PCS-947
9.48	.3732"	129.99	PCS-948
9.49	.3736"	129.99	PCS-949
9.51	.3744"	129.99	PCS-951
9.52	.3748"	129.99	PCS-952


Tapered Carbide Pilots

Inch	mm	.236" Top	.375" Top
.156"	3.96	PCT-1560M	—
.157"	3.98	PCT-1570M	—
.1575"	4.00	PCT-1575M	PCT-1575
.158"	4.01	PCT-1580M	—
.176"	4.47	PCT-1760M	—
.177"	4.50	PCT-1770M	PCT-1770
.178"	4.52	PCT-1780M	—
.196"	4.98	PCT-1960M	—
.197"	5.00	PCT-1970M	PCT-1970
.198"	5.03	PCT-1980M	—
.216"	5.49	PCT-2160M	—
.2165"	5.50	—	PCT-2165
.217"	5.52	PCT-2170M	PCT-2170
.218"	5.54	PCT-2180M	—
.235"	5.97	PCT-2350M	—
.2355"	5.98	—	PCT-2355
Jobber		\$149.99	\$149.99

Inch	mm	.236" Top	.375" Top
.236"	5.99	PCT-2360M	—
.2362"	6.00	—	PCT-2362
.237"	6.02	PCT-2370M	PCT-2370
.256"	6.50	PCT-2560M	—
.257"	6.53	PCT-2570M	—
.258"	6.55	PCT-2580M	—
.259"	6.58	PCT-2590M	—
.260"	6.60	PCT-2600M	PCT-2600
.2756"	7.00	—	PCT-2756
.276"	7.01	PCT-2760M	PCT-2760
.2765"	7.02	—	PCT-2765
.277"	7.04	PCT-2770M	—
.312"	7.93	—	PCT-3120
.315"	8.00	—	PCT-3150
.342"	8.70	—	PCT-3420
.343"	8.72	—	PCT-3430
.344"	8.74	—	PCT-3440
.373"	9.47	—	PCT-3730
.374"	9.50	—	PCT-3740
.375"	9.53	—	PCT-3750
Jobber		\$149.99	\$149.99

Solid-Tapered High Speed Steel Pilots

- Precision ground
- Fit all popular seat grinding or seat and guide machines
- Select top size, then guide size



"N" Series: .375" Top

"S" Series: .385" Top

To determine which pilot to use, select top size, then guide size

"K" Series: .437" Top

Pilot Size		Order Numbers for Top Sizes			
Inch	mm	.297"	.375"	.385"	.437"
.149"	3.78	P-1149N	—	—	—
.156"	3.96	—	—	P-5156S	—
.157"	3.98	—	—	P-5157S	—
.158"	4.01	P-1158N	—	P-5158S	—
.177"	4.50	P-1177N	P-5177N	P-5177S	P-5177K
.178"	4.52	P-1178N	—	—	—
.196"	4.98	—	P-5196N	P-5196S	P-5196K
.197"	5.00	P-1197N	P-5197N	P-5197S	P-5197K
.198"	5.02	P-1198N	P-5198N	P-5198S	P-5198K
.216"	5.50	P-1216N	P-5216N	P-5216S	P-5216K
.217"	5.52	P-1217N	P-5217N	P-5217S	P-5217K
.218"	5.54	—	P-5218N	P-5218S	P-5218K
.235"	5.97	—	P-5235N	P-5235S	P-5235K
.236"	6.00	P-1236N	P-5236N	P-5236S	P-5236K
.237"	6.02	P-1237N	P-5237N	P-5237S	P-5237K
.238"	6.04	P-1238N	—	P-5238S	P-5238K
.249"	6.32	P-1249N	P-5249N	—	P-5249K
.250"	6.35	P-1250N	P-5250N	P-5250S	P-5250K
.251"	6.37	P-1251N	P-5251N	P-5251S	P-5251K
.253"	6.42	—	—	P-5253S	—
.259"	6.58	—	—	P-5259S	P-5259K
.260"	6.60	P-1260N	P-5260N	P-5260S	P-5260K
.261"	6.63	—	—	P-5261S	P-5261K
.273"	6.93	—	P-5273N	P-5273S	P-5273K
.274"	6.96	—	—	P-5274S	—
.275"	6.98	P-1275N	P-5275N	P-5275S	P-5275K
.276"	7.00	—	—	P-5276S	P-5276K
.277"	7.04	—	P-5277N	P-5277S	P-5277K
.278"	7.06	—	—	P-5278S	P-5278K
Jobber		\$17.99	\$31.99	\$42.99	\$52.99

Pilot Size		Order Numbers for Top Sizes			
Inch	mm	.297"	.375"	.385"	.437"
.281"	7.14	P-1281N	—	—	—
.309"	7.85	—	P-5309N	—	—
.310"	7.87	—	P-5310N	P-5310S	P-5310K
.311"	7.90	—	P-5311N	P-5311S	P-5311K
.312"	7.94	P-1312N	P-5312N	P-5312S	P-5312K
.313"	7.95	P-1313N	P-5313N	P-5313S	P-5313K
.314"	7.98	—	P-5314N	P-5314S	P-5314K
.315"	8.00	P-1315N	P-5315N	P-5315S	P-5315K
.316"	8.03	—	P-5316N	P-5316S	P-5316K
.317"	8.05	—	—	P-5317S	P-5317K
.318"	8.08	—	—	P-5318S	P-5318K
.339"	8.61	—	P-5339N	—	—
.340"	8.64	—	P-5340N	P-5340S	—
.341"	8.66	—	P-5341N	P-5341S	P-5341K
.342"	8.69	—	P-5342N	P-5342S	P-5342K
.343"	8.71	P-1343N	P-5343N	P-5343S	P-5343K
.344"	8.74	—	P-5344N	P-5344S	P-5344K
.345"	8.77	—	P-5345N	P-5345S	P-5345K
.354"	9.00	—	P-5354N	P-5354S	P-5354K
.355"	9.02	—	—	P-5355S	—
.358"	9.09	—	P-5358N	P-5358S	P-5358K
.373"	9.47	—	P-5373N	P-5373S	P-5373K
.374"	9.50	—	P-5374N	P-5374S	P-5374K
.375"	9.53	—	P-5375N	P-5375S	P-5375K
.376"	9.55	—	P-5376N	P-5376S	—
.378"	9.60	—	P-5378N	P-5378S	—
.379"	9.63	—	P-5379N	P-5379S	P-5379K
.393"	9.98	—	—	P-5393S	—
.394"	10.00	—	P-5394N	P-5394S	P-5394K
.433"	11.00	—	P-5433N	P-5433S	—
Jobber		\$17.99	\$31.99	\$42.99	\$52.99

CYLINDER HEAD REBUILDING

CLEANING, ASSEMBLY & SAFETY

SHORT BLOCK REBUILDING

CRANKSHAFT/ FLYWHEEL GRINDING

BRAKE WORK

MISCELLANEOUS/ MEASURING TOOLS



Black & Decker Gruv-Top Pilots & Collets

- Replacement of discontinued OE
- Full 4" long top side with an extended spiral groove
- .375" top

Size	Pilots	Collets
.312"	P-312-BD	BD-312-COLLET
.343"	P-343-BD	BD-343-COLLET
.375"	P-375-BD	BD-375-COLLET
	\$97.99 ea.	\$29.99 ea.

Tapered Plug-style Pilots For Flathead Fords

- For most models of valve seat grinding equipment
- Early Ford Motor Co. V-8, 6 and 4-cylinder valve seat grinding pilots
- Index in valve guide bores

Inch	mm	Standard	Oversize
.375"	9.53	PFH-375	PFH-375+1
.385"	9.78	PFH-385	PFH-385+1
.406"	10.31	PFH-406	
.437"	11.10	PFH-437	PFH-437+1
Jobber		\$189.99	\$189.99



Split Pilots

- Centers deep in the valve guide
- Includes a groove for bearing-style stone holders • Compensates for wear up to .010" • .0375" to size

Size	Range	Jobber	Order No.
5.5mm	.213"-.223"	\$97.99	P-5.5MM-VNX
6mm	.233"-.243"	97.99	P-6MM-VNX
.250"	.247"-.257"	97.99	P-250-VNX
7mm	.273"-.283"	97.99	P-7MM-VNX
.312"	.299"-.319"	97.99	P-312-VNX
8mm	.312"-.322"	97.99	P-8MM-VNX
.343"	.340"-.350"	97.99	P-343-VNX
9mm	.351"-.361"	97.99	P-9MM-VNX
.375"	.372"-.382"	97.99	P-375-VNX
.437"	.434"-.444"	97.99	P-437-VNX
Split Pilot Wrench		74.99	P-VNW

**Full Service
... FAST!**



"Our goal is to get your order to you as fast and accurately as possible. Every order is checked and double-checked for accuracy before it's shipped to you."

- Richard, Goodson Shipping Supervisor, 8 yrs. of service



Neway Valve Seat Cutting System

Machine multi-angle valve seats in a matter of minutes

- Hand-operated valve seat cutters
- Ensure greater accuracy and produce quality work at a low cost
- Tungsten carbide cutter blades produce a perfectly flat machined surface, ideal for optimal sealing efficiency and heat transfer • Work in a range from about 3/8" smaller than the body to about 1/4" larger



see page 2 for our NEW 50° and 55° Neway Valve Seat Cutters



Neway Gizmatic

Reface valves by hand

- Machines valves 5/8" (15.9mm) to 2" (50.8mm) diameter to 30° or 45°
- No need to change collets for different valve stem diameters • Uses tough tungsten carbide blades

Description	Jobber	Order No.
Gizmatic	\$449.99	NVC-3
Replacement Cutter	11.99	NVC-3B



Easy Turn Wrench

- Turn cutters continuously
- For smooth, fast seat cutting • Comfortable to use • Improves control of material removal
- Includes Drive Adaptor (NTW-503-1) to convert 1/2" to 3/8"
- Order No. **NTW-EZ** Jobber \$59.99

Description	Jobber	Order No.	Includes ▼			
Economy Kit	\$209.99	LG-102	▼			
Lawn & Garden Kit	\$04.99	LG-2000	▼			
OHV Small Engine Kit	499.99	LG-3000	▼			
Motocross Bike Kit for Honda, Yamaha, Kawasaki & Suzuki	924.99	GKM-2600	▼			
Small Series Cutter Bodies (Use .297" Top Pilots)						
Diameter	Blade Angle	Quantity	Replacement Blade (see page 17)			
0.850" (21.6mm)	45°	3	non-replaceable	\$77.99	NCU-131	
0.874" (22.2mm)	60°	3	non-replaceable	77.99	NCU-133	
0.925" (23.5mm)	45°	3	non-replaceable	77.99	NCU-143	
0.975" (24.8mm)	31°	3	NCB-250	77.99	NCU-115	
	31°	3	NCB-253	77.99	NCU-123	x
	45°	3	NCB-253	77.99	NCU-122	x
1.000" (25.4mm)	15°	3	NCB-253	77.99	NCU-120	
	30°	3	NCB-250	77.99	NCU-126	
	60°	3	NCB-252	77.99	NCU-111	x x
	75°	3	NCB-254	77.99	NCU-125	
1.125" (28.6mm)	31°/46°	3/3	NCB-253	119.99	NCU-103	x
1.312" (33.3mm)	31°/46°	3/3	NCB-251	124.99	NCU-102	x x x
	60°/15°	3/3	NCB-251, -254	124.99	NCU-124	x x
Standard Series Cutter Bodies (Use .375" Top Pilots)						
1.250" (31.6mm)	30°	3	NCB-250	\$109.99	NCU-607	x
	45°	3	NCB-250	109.99	NCU-608	x
	60°	3	NCB-252	77.99	NCU-270	
1.500" (38.0mm)	30°/45°	5/5	NCB-251	194.99	NCU-626	x
Solid Style .297" (7.54mm) Top Pilots (more on page 11)						
Diameter	0.158" (4.00mm)			\$17.99	P-1158N	x
	0.177" (4.50mm)			17.99	P-1177N	x
	0.197" (5.00mm)			17.99	P-1197N	x
	0.236" (6.00mm)			17.99	P-1236N	x
	0.237" (6.02mm)			17.99	P-1237N	x
	0.238" (6.05mm)			17.99	P-1238N	x
	0.250" (6.35mm)			17.99	P-1250N	x x x
	0.251" (6.38mm)			17.99	P-1251N	x x x
	0.281" (7.14mm)			17.99	P-1281N	x x x
	0.312" (7.92mm)			17.99	P-1312N	x x x
	0.313" (7.95mm)			17.99	P-1313N	x x x
	0.315" (8.00mm)			17.99	P-1315N	x x x
	Solid Style .375" (9.53mm) Top Pilots (more on page 11)					
Diameter	0.177" (4.50mm)			\$31.99	P-5177N	x
	0.197" (5.00mm)			31.99	P-5197N	x
	0.217" (5.50mm)			31.99	P-5217N	x
Accessories						
Cases	Small (holds 3 pieces)		\$13.29	NCA-303		x x
For bodies, pilots, etc.	Medium (holds 6 pieces)		17.99	NCA-160	x	
	Large (holds 11 pieces)		26.49	NCA-497	x	
	1/2" T-Handle Driver		10.99	NTW-505	x	
3/8" T-Handle Driver		9.99	NTW-513		x x x	
Tool Set	Includes NPP-245, NCB-267, NHK-241, NHK-564		5.49	NKA-246	x x x x	
Drive Adaptor	1/2" to 3/8" (12.7-9.53mm)		8.99	NTW-503-1	x	

NEW FOR 2007

CYLINDER HEAD REBUILDING

CLEANING, ASSEMBLY & SAFETY

SHORT BLOCK REBUILDING

CRANKSHAFT/ FLYWHEEL GRINDING

BRAKE WORK

MISCELLANEOUS/ MEASURING TOOLS

Valve Seat Cutting

Neway Valve Seat Cutting System

Rapid, precise, hand-cutting of engine seats

- Tungsten carbide cutter blades • Precision-ground to guarantee a flat seat
- Work in a range from about 3/8" smaller than the body to about 1/4" larger

Description	Order No.	Includes					
Harley-Davidson® Kit with Solid Pilots	\$989.99	GKM-2450					
Harley-Davidson® Kit with Expanding Pilots	694.99	GKM-2454EP					
Standard Series Cutter Bodies (Use .375" Top Pilots)							
Diameter	Blade Angle	Quantity	Replacement Blade (shown at right)				
1.125" (28.6mm)	30°	3	NCB-250	\$77.99	NCU-278		
	45°	3	NCB-250	77.99	NCU-268		
	60°	3	NCB-252	77.99	NCU-269		
1.250" (31.6mm)	30°/45°	6	NCB-250	114.99	NCU-230		
	31°/46°	3/3	NCB-250	119.99	NCU-203		
	60°	3	NCB-252	77.99	NCU-270		
1.375" (35.0mm)	30°/45°	3/3	NCB-250, -251	114.99	NCU-232		
1.500" (38.0mm)	60°	3	NCB-254	77.99	NCU-205	x	x
	70°	3	NCB-254	77.99	NCU-271		
	15°/60°	5/5	NCB-251, -254	192.99	NCU-619		
1.750" (44.5mm)	31°/46°	10	NCB-251	192.99	NCU-622H	x	x
	60°	3	NCB-254	77.99	NCU-293	x	x
	31°/46°	10	NCB-251	192.99	NCU-642H	x	x
2.000" (50.8mm)	15°/60°	5/5	NCB-251, -254	192.99	NCU-643		
	31°/46°	10	NCB-251	192.99	NCU-652		
	15°/60°	5/5	NCB-251, -254	187.99	NCU-653		
Expanding .375" (9.53mm) Top Pilots (more on page 10)							
Diameter	0.312" (7.92mm)	\$46.29	P-312NX			x	
	0.343" (8.71mm)	46.29	P-343NX			x	
	0.375" (9.53mm)	46.29	P-375NX			x	
Solid Style .375" (9.53mm) Top Pilots							
Diameter	0.309" (7.85mm)	\$31.99	P-5309N			x	
	0.310" (7.87mm)	31.99	P-5310N			x	
	0.311" (7.89mm)	31.99	P-5311N			x	
	0.312" (7.92mm)	31.99	P-5312N			x	
	0.313" (7.95mm)	31.99	P-5313N			x	
	0.339" (8.61mm)	31.99	P-5339N			x	
	0.340" (8.64mm)	31.99	P-5340N			x	
	0.341" (8.66mm)	31.99	P-5341N			x	
	0.342" (8.69mm)	31.99	P-5342N			x	
	0.343" (8.71mm)	31.99	P-5343N			x	
	0.344" (8.74mm)	31.99	P-5344N			x	
	0.373" (9.47mm)	31.99	P-5373N			x	
	0.374" (9.50mm)	31.99	P-5374N			x	
	0.375" (9.53mm)	31.99	P-5375N			x	
	0.376" (9.55mm)	31.99	P-5376N			x	
	0.377" (9.58mm)	31.99	P-5377N			x	
	0.378" (9.60mm)	31.99	P-5378N			x	
	0.379" (9.63mm)	31.99	P-5379N			x	
Accessories							
Cases	Small (holds 3 pieces)	\$13.29	NCA-303				
For bodies, pilots, etc.	Medium (holds 6 pieces)	17.99	NCA-160	x	x		
	Large (holds 11 pieces)	26.49	NCA-497				
1/2" T-Handle Driver		10.99	NTW-505	x	x		
3/8" T-Handle Driver		9.99	NTW-513				
Tool Set		5.49	NKA-246	x	x		
Tool Set	Pilot Puller Pin	1.29	NPP-245				
Replacement Parts	Cleaning Brush	3.79	NCB-267				
	5/32" (2.38mm) Hex Key	.79	NHK-241				
	5/64" (1.98mm) Hex Driver	3.29	NHK-564				
Drive Adaptor	1/2" to 3/8" (12.7-9.53mm)	8.99	NTW-503-1				



Replacement Cutter Blades and Screws for Neway

Standard Cutter Blades			
Angle	Lgth.	Jobber	Order No.
15-46°	5/16" (7.9mm)	\$13.49	NCB-253
	3/8" (9.53mm)	13.49	NCB-250
	1/2" (12.7mm)	14.49	NCB-251
60-75°	1/2" (12.7mm)	13.49	NCB-252
	3/4" (19.05mm)	14.49	NCB-254
NEW! Non-Serrated Correction Blades			
Angle	Lgth.	Jobber	Order No.
60-75°	1/2" (12.7mm)	\$13.49	NCB-152
	3/4" (19.05mm)	14.49	NCB-154
Hard-Seat Blades			
15-46°	3/8" (9.53mm)	\$13.49	NCB-250LC
	1/2" (12.7mm)	14.49	NCB-251LC
Radius Combustion Chamber Blades			
60-75°	3/8" (9.53mm)	\$21.99	NCB-355
	1/2" (12.7mm)	21.99	NCB-352
	3/4" (19.05mm)	21.99	NCB-354
Miscellaneous Supplies			
Flat Head Screw		\$1.29	NCB-260
Wedge for bodies over 1" (25.4mm)		1.29	NCB-265
Wedge for 1" (25.4mm) & smaller bodies		1.29	NCB-266



Seat Cutting Fluid

- High silicone content reduces drag on carbide cutters
- May be diluted up to 9:1

Size	Jobber	Order No.
1 pint	\$10.99	SCF-2
1 gallon	21.99	SCF-10

NEW FOR 2007
CYLINDER HEAD REBUILDING
CLEANING, ASSEMBLY & SAFETY
SHORT BLOCK REBUILDING
FLYWHEEL GRINDING
CRANKSHAFT/
BRAKE WORK
MISCELLANEOUS/
MEASURING TOOLS